


PRODUCT DESCRIPTION

Moland engineered wood flooring.

Date: June 6th, 2024

Item number:	14964754
Product name:	Moland Parquet Classic, Ash, UV lacquer, White, Matt

Picture



Picture no. 1

Picture no. 2

Product description

Appearance	-
Classification	Classic
Pattern of surface	3-strips
Finishing	7 layers, 2 layers of UV filler + 5 layers of UV lacquer
Lacquer	UV lacquer, Gloss 8-12°
Oil	-
Hardness	Hard wood
Floor heating installation	Yes, max. 27°

Dimensions

Length	2250 mm	<input checked="" type="checkbox"/> Cleaning and maintenance instructions – www.moland.dk
Width	190 mm	<input type="checkbox"/> Can be used for eco-label construction.
Thickness	22 mm	<input type="checkbox"/> FDV-documentation – www.moland.dk
Top layer	3.6 mm	<input type="checkbox"/> FSC <input checked="" type="checkbox"/> PEFC <input type="checkbox"/> No Label
Split boards	Up to 3% can be in shorter lengths	

Lamel sizes

-

PRODUCT DESCRIPTION

Moland engineered wood flooring.



Date: June 6th, 2024

Technical specification

Dimension	22x190x2250mm	Delamination	Not allowed
Top layer	3.6mm ±0.2 mm	Torn grain	Not allowed
Middle layer	16.5 mm Pine	Colour on bevel and surface	Homogeneous expression
Bottom layer	1.9 mm Pine	Pressure marks	Not allowed
Locking method end	T&G	Product marking	CE, PEFC
Locking method longside	T&G	Boards per packet/ m ²	4 boards =1.71 m ²
Fire class	C _{fl} - s1	Packet per pallet/ m ²	50 packets =85.500 m ²
Formaldehyde content	E1		
Thermal conductivity	0.12 W/mk		

Production tolerance

Moisture content	7% +/- 2%
Height difference	≤ 0.2 mm, 0.3 mm to a limited extent
Width	± 0.2 mm
Length	± 0.1%
Squareness	± 0.2% over the width
Crosswise bending	± 0.2% over the width
Longitudinal bending	± 1% of the length
Spring across the element	≤ 0.1% over the length

Grading*¹

Fresh knots	Allowed
Cracked filled knots	Allowed
Dead knots	Allowed
Dark lines	Not allowed
Cracks	Up to 20mm allowed
Bark pockets	Allowed
Structure variation	Allowed
Dark/ black lines	Allowed - slight
Color variation	Allowed
Worm hole	Allowed
Blue stained	Allowed
Stain (discoloration)	Not allowed
Rot	Not allowed


*¹ Up to 3% of the products may have a different grading then the above-described, smaller cracks in fillings may occur.

PRODUCT DESCRIPTION

Moland engineered wood flooring.

Date: June 6th, 2024

Packing



Pallets

Number of boards per pack	4 boards
M ² / pack	1.71 m ²
Packs / pallet	50 packs
Layer / pallet	10 layers
M ² / pallet	85.500 m ²